

# UNCLASSIFIED

AD NUMBER
AD092228
NEW LIMITATION CHANGE
TO Approved for public release, distribution unlimited
FROM Distribution authorized to U.S. Gov't. agencies and their contractors; Administrative/Operational Use; APR 1956. Other requests shall be referred to Office of the Surgeon General [Army], Falls Church, VA 22041-3258.
AUTHORITY
US Army Medical Research Lab. ltr dtd 27 Feb 1970

THIS PAGE IS UNCLASSIFIED

# UNCLASSIFIED

# A 92228

## Armed Services Technical Information Agen

Reproduced by

**DOCUMENT SERVICE CENTER**

**KNOTT BUILDING, DAYTON, 2, OHIO**

This document is the property of the United States Government. It is furnished for the duration of the contract and shall be returned when no longer required, or upon recall by ASTL to the following address: Armed Services Technical Information Agency Document Service Center, Knott Building, Dayton 2, Ohio.

**NOTICE: WHEN GOVERNMENT OR OTHER DRAWINGS, SPECIFICATIONS OR OTHER DATA ARE USED FOR ANY PURPOSE OTHER THAN IN CONNECTION WITH A DEFINITELY RELATED GOVERNMENT PROCUREMENT OPERATION, THE U. S. GOVERNMENT THEREBY INCURS NO RESPONSIBILITY, NOR ANY OBLIGATION WHATSOEVER; AND THE FACT THAT THE GOVERNMENT MAY HAVE FORMULATED, FURNISHED, OR IN ANY WAY SUPPLIED THE SAID DRAWINGS, SPECIFICATIONS, OR OTHER DATA IS NOT TO BE REGARDED BY IMPLICATION OR OTHERWISE AS IN ANY MANNER LICENSING THE HOLDER OR ANY OTHER PERSON OR CORPORATION, OR CONVEYING ANY RIGHTS OR PERMISSION TO MANUFACTURE OR USE OR SELL ANY PATENTED INVENTION THAT MAY IN ANY WAY BE RELATED THERETO.**

# UNCLASSIFIED

AD No. 92228

ASTA FILE COPY

# ARMY MEDICAL RESEARCH LABORATORY

FORT KNOX, KENTUCKY

REPORT NO. 223

6 April 1956

## FREQUENCY DISCRIMINATION OF PURE AND COMPLEX TONES\*

FC

\*Subtask under Psychophysiological Studies, AMRL Project No. 6-95-20-001, Subtask, Psychophysiological Interaction Problems.



RESEARCH AND DEVELOPMENT DIVISION  
OFFICE OF THE SURGEON GENERAL  
DEPARTMENT OF THE ARMY

Army Medical Research Lab., Fort Knox, Ky.  
FREQUENCY DISCRIMINATION OF PURE AND COMPLEX  
TONES - R. Cramer and L. Zeitlin with the  
technical assistance of J. Zelnick  
Report No. 223, 1 Dec 55 - 9 pp & ii - 2  
illus - 2 tables - Project No. 6-95-20-001.  
Unclassified Report

The ability of subjects to discriminate small changes of frequency of pure and complex tones was investigated. Performance was significantly better in discriminating frequency changes in the middle and low frequency ranges of complex tones than of pure tones. A marked difference in individual ability to discriminate frequency changes was noted.

UNCLASSIFIED

1. Psychology
2. Audition
3. Tone Discrimination

Army Medical Research Lab., Fort Knox, Ky.  
FREQUENCY DISCRIMINATION OF PURE AND COMPLEX  
TONES - R. Cramer and L. Zeitlin with the  
technical assistance of J. Zelnick  
Report No. 223, 1 Dec 55 - 9 pp & ii - 2  
illus - 2 tables - Project No. 6-95-20-001.  
Unclassified Report

The ability of subjects to discriminate small changes of frequency of pure and complex tones was investigated. Performance was significantly better in discriminating frequency changes in the middle and low frequency ranges of complex tones than of pure tones. A marked difference in individual ability to discriminate frequency changes was noted.

UNCLASSIFIED

1. Psychology
2. Audition
3. Tone Discrimination

Army Medical Research Lab., Fort Knox, Ky.  
FREQUENCY DISCRIMINATION OF PURE AND COMPLEX  
TONES - R. Cramer and L. Zeitlin with the  
technical assistance of J. Zelnick  
Report No. 223, 1 Dec 55 - 9 pp & ii - 2  
illus - 2 tables - Project No. 6-95-20-001.  
Unclassified Report

The ability of subjects to discriminate small changes of frequency of pure and complex tones was investigated. Performance was significantly better in discriminating frequency changes in the middle and low frequency ranges of complex tones than of pure tones. A marked difference in individual ability to discriminate frequency changes was noted.

UNCLASSIFIED

1. Psychology
2. Audition
3. Tone Discrimination

Army Medical Research Lab., Fort Knox, Ky.  
FREQUENCY DISCRIMINATION OF PURE AND COMPLEX  
TONES - R. Cramer and L. Zeitlin with the  
technical assistance of J. Zelnick  
Report No. 223, 1 Dec 55 - 9 pp & ii - 2  
illus - 2 tables - Project No. 6-95-20-001.  
Unclassified Report

The ability of subjects to discriminate small changes of frequency of pure and complex tones was investigated. Performance was significantly better in discriminating frequency changes in the middle and low frequency ranges of complex tones than of pure tones. A marked difference in individual ability to discriminate frequency changes was noted.

UNCLASSIFIED

1. Psychology
2. Audition
3. Tone Discrimination

**REPORT NO. 223**

**FREQUENCY DISCRIMINATION OF PURE  
AND COMPLEX TONES\***

**by**

**R. Cramer and L. Zeitlin  
with the technical assistance of  
J. Zelnick**

**from**

**Psychology Department  
ARMY MEDICAL RESEARCH LABORATORY  
FORT KNOX, KENTUCKY**

**\*Subtask under Psychophysiological Studies, AMRL Project No. 6-95-20-001, Subtask, Psychophysiological Interaction Problems.**

Report No. 223  
Project No. 6-95-20-001  
Subtask AMRL S-5  
MEDEA

## ABSTRACT

### FREQUENCY DISCRIMINATION OF PURE AND COMPLEX TONES

#### OBJECT

To compare subject efficiency in discriminating small changes of frequency of pure tones and complex tones, undertaken with a view toward providing more meaningful aural signal displays to the operators of mine detectors and similar equipment.

#### RESULTS AND CONCLUSIONS

Utilizing the method of constant stimuli, subjects performed significantly better in discriminating small frequency changes of complex tones (repeated pulses of 15 micro-seconds pulse length) than in discriminating similar frequency changes of pure tones (sine waves). This difference persisted at the 3 base frequencies used, 190, 490 and 990 cycles per second. The superior discriminability of complex tones was attributed to the presence of over-tones which made the discrimination task much easier. There was a marked difference in the ability of individual subjects to discriminate frequency change.

#### RECOMMENDATIONS

Extension of this investigation to higher frequencies and other complex wave forms. If frequency modulated aural mine detector displays are used, complex wave forms are preferable to pure tones. If such displays are used operators should be selected on ability to discriminate frequency change rather than by conventional auditory testing methods.

Submitted 1 December 1955 by:

R. Cramer, Psychophysicologist  
L. Zeitlin, 1st Lt, MSC  
with the technical assistance of  
J. Zelnick, Pfc

APPROVED: Ray C. Daggs  
RAY C. DAGGS  
Director of Research

APPROVED: William W. Cox  
WILLIAM W. COX  
Lt Colonel, MC  
Commanding

# FREQUENCY DISCRIMINATION OF PURE AND COMPLEX TONES

## I. INTRODUCTION

At the request of the Engineer Research and Development Laboratories, experiments were designed to evaluate various types of displays for use in mine detection apparatus. The main objectives of this study were 1) to determine the most efficient means for presenting information to the operator, utilizing the existing mine detector heads and apparatus, and 2) to determine the essential characteristics of the signal which enables the operator to distinguish a mine from an anomaly and to develop a means of making full use of these characteristics. The present experiment is the first in a series concerned with comparing the sensitivity of subjects to small frequency changes of 2 types of tones, complex tones (repeated pulses) and pure tones (sine waves).

## II. EXPERIMENTAL

### A. Apparatus

1. Krohn-Hite push-button oscillator: an audio oscillator capable of generating tones from .01 to 99,999 cps. The tones are accurate to 4 significant figures and can be changed quickly from one frequency to another by means of push-buttons. It produces both sine and square waves.

2. Magnicord, tape recorder, Model PT6A, and Magnicord Amplifier, Model PT6J: a professional quality tape recorder and an amplifier with a minimum of flutter, wow and distortion.

3. Jensen Duette, 2-way speaker system: a speaker system capable of handling moderate amounts of power with relatively low distortion. It consists of an 8-inch woofer for low tones and a horn-loaded tweeter for the higher frequencies.

4. Arbitrary Signal Stimulator\*: made to the Army Medical Research Laboratory specifications. It consists of a beat-frequency audio oscillator whose frequency can be varied over wide limits by

---

\*Designed and constructed by Mr. Roger France, Engineer Research and Development Laboratories, Ft Belvoir, Virginia.



changing the bias voltage of the variable frequency oscillator feeding into various pulse shaping circuits. The Arbitrary Signal Stimulator is capable of producing a) tones of constant frequency which are amplitude modulated, b) frequency modulated pure tones and c) frequency modulated pulse tones of variable pulse length. For this experiment, only the pulse shaping circuit of this stimulator was used; the input was taken directly from the tape recorder.

5. Sound-Proof Room: approximately 10 x 12 x 8 ft and shielded both acoustically and electrically to minimize the effect of extraneous stimuli.

### B. Subjects

Fifteen Army enlisted men served as subjects. Their hearing ability was not tested; however, all had Army Class A profiles and were presumed to have hearing adequate for all military purposes.

### C. Method

Two sets of aural displays were presented to 3 or 4 subjects in each session. In one type of display the wave form used to produce the tones was sinusoidal. In the other, the tones were produced by rectangular pulses of 15 micro-second duration. The method of constant stimuli was used.

The stimulus consisted of a sequence of 3 tones. The first and last tones were of the same frequency; the middle tone varied a slight amount upward or downward in pitch. Each tone lasted one second, the entire sequence being 3 seconds long. There was no appreciable time lapse between the presentation of the first, second and third tones. The subject's task was to judge whether the middle tone was higher or lower than the first and third tones. If the subject thought that all of the tones were equal, he was instructed to guess whether the middle tone was higher or lower than the end tones.

The base frequencies selected were 190, 490 and 990 cps. The middle tones varied upward or downward 1, 2, 4 or 8 cps. Each of these variations was used 5 times upward and 5 times downward for each base frequency in each display program. This gave a total of 120 sets of stimuli per display. The different stimuli were arranged in random order as determined by a table of random numbers. There was a 5-second period of silence between presentation of successive stimuli. After a series of 23 stimuli had been presented, subjects

were given a 2-minute rest period. Between display programs they were given half an hour rest period. During this time they were allowed to leave the experimental room. On successive days the programs were presented in alternate order.

A tape recording of one entire sequence of stimuli was made and used throughout the experiment. When the pure tones were presented the tape was amplified and fed directly into the loudspeaker system. When the complex tones were presented, the tape was amplified, fed into the pulse shaping circuit of the Arbitrary Signal Stimulator and then into the loudspeaker. The sound output of the loudspeaker system was adjusted so that the sound level in the room was at least 30 decibels (db) above the ambient sound level of the room (48 db). The subjects were seated in groups of 3 or 4, about 8 ft from the loudspeaker within an arc of  $45^{\circ}$  from the front of the speaker and occupied the same seats for both displays.

Figure 1 is an oscilloscope face tracing of both types of stimuli at 190 cps. Figure 2 is a harmonic analysis of the pulse wave form at 490 cps as shown by the Panoramic Sonic Analyzer, Model LP-1.\*

### III. RESULTS AND DISCUSSION

Although all the subjects had Class A physical profiles, they showed a marked difference in ability to discriminate small changes of frequency around the 3 base frequencies. Table 1 shows the number of mistakes made per subject at each base frequency for each wave form. Out of the 120 stimuli presented in each condition the range of total errors per subject varied from 4 to 72. An analysis of variance (Table 2) shows that this difference between subjects is statistically significant beyond the .01 level. Since most hearing tests merely rate the loss in decibels at given frequencies and since all the subjects in this experiment were assumed to be within the normal range, a standard hearing test per se provides relatively little information about ability to discriminate small changes in frequency.

Perhaps the most striking result of this experiment was the fact that subjects showed significantly fewer mistakes in judging complex tone (pulse) stimuli than pure tone (sine wave) stimuli. This superior discrimination of pulse tone frequency changes held for all 3 frequencies used in the present study. The results shown in Table 1 were significant

---

\*Produced by Panoramic Radio Products, Inc., Mount Vernon, N. Y.



FIG. 1 WAVEFORMS OF TONES: PURE (ABOVE), PULSE (BELOW), AT 190 CPS.




FIG.2 HARMONIC ANALYSIS OF 490 CPS. PULSE WAVE (COMPLEX TONE).

TABLE 1  
NUMBER OF ERRORS MADE TO PULSE TONES AND PURE TONES

Subject	190 cps		490 cps		990 cps		Total Errors Per Subject	
	<u>Pulse</u>	<u>Pure</u>	<u>Pulse</u>	<u>Pure</u>	<u>Pulse</u>	<u>Pure</u>	<u>Pulse</u>	<u>Pure</u>
1	2	6	3	4	6	10	11	20
2	1	9	9	15	10	10	20	34
3	23	21	21	23	28	27	72	71
4	17	17	18	16	14	15	49	48
5	13	16	17	10	17	14	47	40
6	17	18	8	7	13	18	38	43
7	1	0	0	7	3	7	4	14
8	7	5	7	7	8	16	22	28
9	17	21	15	17	14	19	46	57
10	16	12	11	15	18	15	45	42
11	17	10	7	9	13	12	37	31
12	14	25	15	20	16	18	45	63
13	5	10	2	5	5	7	12	22
14	1	5	5	7	9	13	15	25
15	<u>10</u>	<u>13</u>	<u>12</u>	<u>19</u>	<u>13</u>	<u>20</u>	<u>35</u>	<u>52</u>
Total Errors Per Frequency	161	188	150	181	187	221	498	590

TABLE 2  
ANALYSIS OF VARIANCE

	<u>Sum of Squares</u>	<u>df</u>	<u>Mean Squares</u>	<u>F</u>
Frequencies	108.16	2	54.08	4.10*
Subjects	2760.62	14	197.19	14.94**
Waveforms	94.05	1	94.05	14.83**
F x S	369.51	28	13.20	2.08*
F x W	.81	2	.41	---
S x W	150.62	14	10.76	1.70
Remainder	<u>177.52</u>	<u>28</u>	<u>6.34</u>	<u>---</u>
Total	3661.29	89		

\* Significant at .05 level

\*\* Significant at .01 level

beyond the .01 level. Over the range of frequencies used in this experiment the subjects made approximately 18% fewer mistakes for complex tones than for pure tones.

There are several possible interpretations for the relatively greater ease in discriminating changes of frequency of complex tones as contrasted with pure tones. In the first place, the subject may be judging complex tones on the basis of changes in one of the harmonics rather than of the fundamental. A given change in the repetition rate of the pulse generating a complex wave is accompanied by a change 3 times greater in the third harmonic, for instance, and the subject may be responding to this more discriminable change in the harmonic and not to the change in the fundamental frequency or repetition rate.

It is probable that there is an interaction effect here due to the simultaneous operation of several frequency discriminating elements in the cochlea and central nervous system, rather than a simple addition of frequency change sensitivities at the harmonics. A more complete analysis of this problem will be presented in a later report.

The data of the present study show that there is a difference in the ease with which different subjects discriminate small changes of frequency at the different frequency levels used. Table 2 shows this difference to be significant at about the .05 level. With both types of wave form the total number of errors is slightly higher at the extreme frequencies, 190 and 990 cps. In this, the data are in agreement with published results dealing with continuously varying stimuli (5) and with discrete stimuli (2 and 3). The complex tone data consistently bear out the advantages accruing from the use of complex tones where a high degree of discriminability is required. An additional practical advantage of complex tones over pure tone signals lies in the greater stability of complex tones in the frequency-volume relationship (1, 4 and 6); the complex tones are more resistant to apparent frequency changes as the volume level of the signal increases or decreases. Accordingly, an operator in the field could adjust the volume level of his display to meet ambient noise conditions without appreciably distorting the display.

As expected, the interaction between frequency and subject was significant at the .05 level. It may be inferred from this that various subjects show differences in ability to discriminate small changes of frequency at the 3 base frequencies.

No other interactions were significant.

#### IV. CONCLUSIONS

The ability to differentiate small changes in pitch of tones in the middle and low frequency range is significantly better with complex tones than with pure tones. This difference exists with the 3 frequencies 190, 490 and 990 cps used in this experiment. An average of 18% fewer mistakes for the 3 ranges was made with the complex tones.

There is a marked difference in the ability of different subjects to discriminate small changes in frequencies within the range of tones considered. The range of correct responses varies from 96.7% to 41%.

There is a significant difference in the number of incorrect judgments made at different frequencies by different subjects.

#### V. RECOMMENDATIONS

1. When a frequency modulated mine detector display is used, complex tones, rather than pure tones, should be used because a) sensitivity to frequency change is greater with complex tones, at least within the frequency range studied here; b) a complex tone offers various economies in terms of power requirements for given levels of loudness; and c) pulse tones or complex tones have a greater resistance to apparent changes in frequency with changes in volume.
2. When frequency modulated signals are used with mine detector apparatus, operators should be selected on ability to discriminate frequency change rather than by conventional auditory testing methods.
3. An extension of this investigation to higher frequencies is desirable.
4. Other aspects of complex wave forms should be selected for further studies because of possible theoretical or practical advantages, such as easier discriminability or resistance to masking.
5. Further work should be carried out on various other aspects of the mine detector signal in order to determine what factors an experienced operator uses in differentiating mine signals from anomalies.
6. The relationships, if any, existing between measurements of absolute threshold, as exemplified by conventional audiometric techniques, and the ability to discriminate small changes in frequency should be determined.

## **VI. BIBLIOGRAPHY**

1. Fletcher, H. Loudness, pitch and the timbre of musical tones and their relation to the intensity, the frequency and the over-tone structure. J. Acoust. Soc. Am. 6: 59-69, 1934.
2. Harris, J. D. Discrimination of pitch: Suggestions toward method and procedure. Am. J. Psychol. 61: 309-322, 1948.
3. Harris, J. D. Pitch discrimination. Navy Medical Research Laboratory Report No. 205. 1952.
4. Lewis, D. and M. Cowan. The influence of intensity on the pitch of violin and 'cello tones. J. Acoust. Soc. Am. 8: 20-22, 1936.
5. Shower, E. G. and R. Biddulph. Differential pitch sensitivity of the ear. J. Acoust. Soc. Am. 3: 275-287, 1931.
6. Stevens, S. S. and H. Davis. Hearing: Its Psychology and Physiology. John Wiley and Sons, Inc., New York, 1938.



# DISTRIBUTION LIST FOR AMRL REPORTS

## Category (A) - All Reports

ARMY	Copies	ARMY	Copies
The Surgeon General	2	Office, CONARC	1
Department of the Army		Fort Monroe, Virginia	
Main Navy Building		Walter H. Moursund, Jr., Col GS	2
Washington 25, D. C.		Office of the Army Attache, Box 36	
ATTN: Chief, Research & Development Division		U. S. Navy 100	
Director	1	Fleet Post Office	
Armed Forces Institute of Pathology		New York, New York	
Walter Reed Army Medical Center		Commanding General	3
Washington 12, D. C.		Headquarters, QM, R&D Command	
Army Library	1	QM R&D Center, U. S. Army	
Room 1A 522, The Pentagon		Natick, Massachusetts	
Washington 25, D. C.		Commanding Officer	1
ATTN: National Defense Review		Medical Nutrition Laboratory	
Headquarters	1	9937 TU U. S. Army	
Army Medical Service Graduate School		Fitzsimmons Army Hospital	
Walter Reed Army Medical Center		Denver 7, Colorado	
Washington 12, D. C.		Headquarters	1
Chief, Human Relations & Research Branch	2	406th Medical General Laboratory	
Military Personnel Management Div		APO 500, c/o Postmaster	
Office of the Asst Chief of Staff		San Francisco, California	
Department of the Army		Headquarters	1
Room 2C 724, The Pentagon		Camp Detrick	
Washington 25, D. C.		Frederick, Maryland	
Office Asst Chief of Staff, G4	1	ATTN: Technical Library	
Department of the Army		Scientific Publications & Reports Office	1
The Pentagon		QM Food & Container Institute for the	
Washington 25, D. C.		Armed Forces	
ATTN: Research & Development		1819 West Pershing Road	
Commanding Officer	1	Chicago 9, Illinois	
Chemical Corps Medical Laboratories		Research & Development Division	1
Army Chemical Center, Maryland		Office, Quartermaster General	
ATTN: Chief, Technical Information Branch		Room 2102, Building "A"	
Army Environmental Health Lab	1	Washington 25, D. C.	
Building 1235		Armed Forces Staff College	1
Army Chemical Center, Maryland		Norfolk, Virginia	
Commandant	1	Library, Quartermaster School	1
Marine Corps Schools		Fort Lee, Virginia	
Quantico, Virginia		Medical Field Service School	2
ATTN: Library & Record Section, MCEG		Fort Sam Houston, Texas	
		Library, Army War College	1
		Carlisle Barracks, Pennsylvania	
NAVY		NAVY	
U. S. Naval School of Aviation Medicine	1	Commanding Officer	1
U. S. Naval Air Station		U. S. Naval Air Development Center	
Pensacola, Florida		Johnsville, Pennsylvania	
Commanding Officer	1	ATTN: Aviation Medical Acceleration Lab	
Naval Medical Research Institute		Officer in Charge	1
National Naval Medical Center		U. S. Naval Medical Research Lab	
Bethesda 14, Maryland		U. S. Naval Submarine Base	
Chief, Bureau of Medicine & Surgery	1	New London, Connecticut	
Department of the Navy		ATTN: Librarian	
Washington 25, D. C.		Special Asst for Bio Sciences	1
Commanding Officer	1	Office of Naval Research	
Naval Medical Field Research Lab		Department of the Navy	
Marine Barracks		Washington 25, D. C.	
Camp Lejeune, North Carolina		Officer in Charge	10
		Office of Naval Research	
		Navy 100, Fleet Post Office	
		New York, New York	

### Category (A) - All Reports -- Continued

	Copies		Copies
<b>AIR FORCE</b>		<b>AIR FORCE</b>	
Commandant	1	Department of the Air Force	1
USAF School of Aviation Medicine		Headquarters USAF	
Randolph Air Force Base		Director, Research & Development DCS/D	
Randolph Field, Texas		Washington 25, D. C.	
ATTN: Research Secretariat		ATTN: AFDRD-HF	
Commander	1	Arctic Aeromedical Laboratory	1
Hq Wright Air Development Center		APO 731, c/o Postmaster	
Wright-Patterson Air Force Base, Ohio		Seattle, Washington	
ATTN: Aero Medical Laboratory (WCRD)		ATTN: Librarian, AAL	
Directorate of Research		Commander	1
Director	1	Air Research & Development Command	
Air University Library		ATTN: RDTRH	
Maxwell Air Force Base, Alabama		PO 1395	
		Baltimore 3, Maryland	
<b>OTHER AGENCIES</b>		<b>OTHER AGENCIES</b>	
Exchange & Gift Division	1	Armed Services Technical Information	5
Library of Congress		Agency	
Washington 25, D. C.		Document Service Center	
Director, Armed Forces Medical Library	1	Knott Building	
7th Street & Independence Ave, SW		Dayton 2, Ohio	
Washington 25, D. C.		ATTN: DSC-SD32	
ATTN: Acquisitions Division		National Science Foundation	1
Operations Research Office	1	1520 H Street NW	
The Johns Hopkins University		Washington, D. C.	
7100 Connecticut Ave		Department of Physiology	1
Chevy Chase, Maryland		University of Rochester	
ATTN: Librarian		School of Medicine & Dentistry	
National Institutes of Health	2	260 Crittenden Blvd	
Division of Research Grants		Rochester, New York	
Bethesda 14, Maryland		National Research Council	1
Tropical Research Medical Lab	1	Division of Medical Science	
APO 851, New York, New York		2101 Constitution Ave	
		Washington, D. C.	
		National Institutes of Health	1
		Library, ATTN: Acquisitions Section	
		Bethesda 14, Maryland	
<b>FOREIGN ADDRESSES</b>		<b>FOREIGN ADDRESSES</b>	
Defense Research Member	2	British Naval & Army Medical Liaison	2
Canadian Joint Staff (W)		Officer	
2001 Connecticut Ave, NW		Bureau of Medicine & Surgery	
Washington 8, D. C.		Building 4, Room 60A	
RCAMC Liaison Officer	2	23rd and E Streets	
Surgeon General's Office		Washington, D. C.	
Department of the Army		Dr. O. G. Edholm	1
Room 2842		Head, Division of Human Physiology	
Main Navy Building		Medical Research Council Laboratory	
Washington 25, D. C.		Holly Hill, Hampstead	
THRU: The Foreign Service of the	1	London, NW 3	
United States of America		England	
United States Army Liaison Office			
American Consulate General			
Singapore			
(for clearance and forwarding to:)			
The Deputy Director of Army Health			
Far East Land Forces			
Singapore			
<b>MEDICAL LIBRARY</b>		<b>MEDICAL LIBRARY</b>	
Medical College of Alabama Library	1	Medical Center Library	1
620 South 20th Street		Jersey City 4, New Jersey	
Birmingham 5, Alabama		Univ of California Medical Center Library	1
Yale Univ Medical Library		Parnassus and 3rd Avenues	
333 Cedar Street		San Francisco 22, California	
New Haven 11, Connecticut			

# Category (A) - All Reports - Continued

MEDICAL LIBRARY	Copies	MEDICAL LIBRARY	Copies
Howard Univ College of Medicine Library 520 W Street, NW Washington 1, D. C.	1	Georgetown Univ Medical & Dental Schools Library 3900 Reservoir Road, NW Washington 7, D. C.	1
Rush Medical College Library 1758 West Harrison Street Chicago 12, Illinois	1	Northwestern Univ Medical School Archibald Church Library 303 East Chicago Avenue Chicago 11, Illinois	1
Indiana Univ Medical Center Library 1100 West Michigan Street Indianapolis 7, Indiana	1	Univ of Louisville School of Medicine Library 101 West Chestnut Street Louisville 2, Kentucky	1
Harvard Univ Medical Library 25 Shattuck Street Boston 15, Massachusetts	1	University of Texas Southwestern Medical School Library 5323 Harry Hives Blvd Dallas 19, Texas	1
Univ of Buffalo Medical School Library 24 High Street Buffalo 3, New York	1	Texas Medical Center Library Houston 25, Texas	1
Univ of Texas School of Medicine Library Strand between 9th and 10th Streets Galveston, Texas	1	Univ of Utah Medical Library Salt Lake City 1, Utah	1
Univ of Virginia Alderman Library Exchange Division Charlottesville, Virginia	1	Marquette Univ School of Medicine & Milwaukee Academy of Medicine Library 561 North 15th Street Milwaukee 3, Wisconsin	1
Columbia Univ Medical Library 630 West 168th Street New York 32, New York	1	Univ of Oklahoma School of Medicine Library 801 North East 13th Street Oklahoma City 4, Oklahoma	1
Jefferson Medical College Samuel Parsons Scott Memorial Library 1025 Walnut Street Philadelphia 7, Pennsylvania	1	Univ of Pittsburgh School of Medicine & Dentistry Library 3941 O'Hara Street Pittsburgh 13, Pennsylvania	1
Meharry Medical College Library Nashville 8, Tennessee			
Vanderbilt Univ School of Medicine Library 21st Ave, South and Edgehill Nashville 4, Tennessee	1		

# DISTRIBUTION LIST FOR AMRL REPORTS

## Category (D)

ARMY	Copies	ARMY	Copies
Commanding General Aberdeen Proving Ground, Maryland ATTN: Human Engineering Laboratory	1	President, Army Field Forces Board Nr 4 Fort Bliss, Texas	1
Commanding Officer Army Field Forces Human Research Unit Nr 1 The Armored Center Fort Knox, Kentucky	1	Chief, Army Field Forces Human Research Unit Nr 2 P.O. Box 446 Fort Ord, California	1
Quartermaster Board Fort Lee, Virginia	1	Director Human Resources Research Office P.O. Box 3596 Washington 7, D. C. ATTN: Library	1
President Board Nr 2, OCAFF Fort Knox, Kentucky	1	Human Research Unit Nr 3 Office, Chief of Army Field Forces Fort Benning, Georgia	1
President Board Nr 3, OCAFF Fort Benning, Georgia	1	Operations Research Office 6410 Connecticut Avenue Chevy Chase, Maryland ATTN: The Library	1
Commanding Officer Frankford Arsenal Philadelphia 37, Pennsylvania ATTN: Human Engineering Mission (LC)	1	Office, Chief of Ordnance ATTN: ORDTB-PS, The Pentagon Washington 25, D. C.	1
Ordnance Corps Detroit Arsenal Center Line, Michigan ATTN: Mr. J. D. Gallombardo XRDMX-ECG	1	Operations Personnel Research Div Office of Chief, Research & Development Deputy Chief of Staffs for Plans & Research Room 2C 734, The Pentagon Washington 25, D. C.	1
Commandant, Adjutant General's School Office of the School Secretary Fort Benjamin Harrison Indianapolis 16, Indiana	1	Office of Chief Signal Officer Room 2E 258, The Pentagon Washington 25, D. C.	1
Adjutant General's Office Personnel Research Branch Department of the Army Washington 25, D. C.	1	Commanding Officer Transportation Research & Development Station Fort Eustis, Virginia	1
President, Army Field Forces Board Nr 1 Fort Bragg, North Carolina	1		
<b>NAVY</b>		<b>NAVY</b>	
Director Naval Research Laboratory Washington 25, D. C.	1	Director, U. S. Naval Air Experimental Station ATTN: Supt., Aero Medical Equipment Laboratory Philadelphia 12, Pennsylvania	1
Commanding Officer U. S. Naval Medical Research Unit Nr 1 Bldg T-19, University of California Berkeley 4, California	1	Commander U. S. Naval Air Test Center Patuxent River, Maryland ATTN: Physiological Test Section of Service Test	1
Officer-in-Charge U. S. Naval Personnel Research Field Activity Tempo 'T' 14th & Constitution Ave., NW Washington 25, D. C.	1	U. S. Navy Electronics Laboratory ATTN: Head, Human Factors Division San Diego 52, California	2
Director, Operations Evaluation Group (OP-374) Room 4D 541, The Pentagon Washington 25, D. C.	1	Office of Naval Research Psychophysiological Psychology Branch, Code 454 Department of the Navy Washington 25, D. C.	1
Psychological Research & Applications Department Special Devices Center Port Washington, L. I., New York	1		

# Category (D) Continued

<b>AIR FORCE</b>	<b>Copies</b>	<b>AIR FORCE</b>	<b>Copies</b>
Commander Air Force Operational Test Center ATTN: Technical Reports Branch Elgin Air Force Base, Florida	1	Director Armament Systems Personnel Research Laboratory Lowry Air Force Base, Colorado	1
Commander Lackland Air Force Base San Antonio, Texas	1	Director Basic Pilot Goodfellow Air Force Base, Texas	1
Assistant for Ground Safety DCS/Pers, Headquarters, USAF Washington 25, D. C.	1	Human Factors Operations Research Laboratory Air Research and Development Command, USAF	4
AFPT Research Center Liaison Officer Deputy Chief of Staff Operations, Headquarters Air Training Command Scott Air Force Base, Illinois	1	Bolling Air Force Base Washington 25, D. C.	
		The Rand Corporation 1700 Main Street Santa Monica, California ATTN: Mr. Victor M. Hunt	1
<b>INDIVIDUALS</b>		<b>INDIVIDUALS</b>	
Dr. Frank A. Geldard Peabody Hall University of Virginia Charlottesville, Virginia	1	Dr. William A. Hunt Department of Psychology Northwestern University Evanston, Illinois	1
Dr. William E. Kappauf, Jr. Department of Psychology University of Illinois Urbana, Illinois	1	Dr. Anthony Lanza Institute of Industrial Medicine New York University Bellevue Medical Center 477 First Avenue New York, New York	1
Dr. Lorrin A. Riggs Department of Psychology Brown University Providence 12, Rhode Island	1	Dr. Harold Schlosberg Psychology Laboratory Brown University Providence 12, Rhode Island	1
Dr. Elliot Stellar Johns Hopkins University Psychology Department Baltimore 18, Maryland	1	Dr. Willard Machle Boca Raton, Florida	1
Dr. Merle Lawrence S. S. Kresge Medical Research Bldg University of Michigan Ann Arbor, Michigan	1	Dr. Norton Nelson Institute of Industrial Medicine New York University Bellevue Medical Center 477 First Avenue New York, New York	1
<b>OTHER AGENCIES</b>		<b>OTHER AGENCIES</b>	
Director, Bibliographical Services Project Institute for Applied Experimental Psychology North Hall, Tufts College Boston 14, Massachusetts	1	Department of Psychology University of Rochester Rochester 3, New York	1

<p>Army Medical Research Lab, Fort Knox, Ky.</p> <p>FREQUENCY DISCRIMINATION OF PURE AND COMPLEX TONES - R. Cramer and L. Zeitlin with the technical assistance of J. Zelnick</p> <p>Report No. 223, 1 Dec 55 - 9 pp &amp; ii - 2 illus - 2 tables - Project No. 6-95-20-001, Unclassified Report</p> <p>The ability of subjects to discriminate small changes of frequency of pure and complex tones was investigated. Performance was significantly better in discriminating frequency changes in the middle and low frequency ranges of complex tones than of pure tones. A marked difference in individual ability to discriminate frequency changes was noted.</p>	<p>UNCLASSIFIED</p> <ol style="list-style-type: none"> <li>1. Psychology</li> <li>2. Audition</li> <li>3. Tone Discrimination</li> </ol>	<p>Army Medical Research Lab, Fort Knox, Ky.</p> <p>FREQUENCY DISCRIMINATION OF PURE AND COMPLEX TONES - R. Cramer and L. Zeitlin with the technical assistance of J. Zelnick</p> <p>Report No. 223, 1 Dec 55 - 9 pp &amp; ii - 2 illus - 2 tables - Project No. 6-95-20-001, Unclassified Report</p> <p>The ability of subjects to discriminate small changes of frequency of pure and complex tones was investigated. Performance was significantly better in discriminating frequency changes in the middle and low frequency ranges of complex tones than of pure tones. A marked difference in individual ability to discriminate frequency changes was noted.</p>	<p>UNCLASSIFIED</p> <ol style="list-style-type: none"> <li>1. Psychology</li> <li>2. Audition</li> <li>3. Tone Discrimination</li> </ol>
<p>Army Medical Research Lab, Fort Knox, Ky.</p> <p>FREQUENCY DISCRIMINATION OF PURE AND COMPLEX TONES - R. Cramer and L. Zeitlin with the technical assistance of J. Zelnick</p> <p>Report No. 223, 1 Dec 55 - 9 pp &amp; ii - 2 illus - 2 tables - Project No. 6-95-20-001, Unclassified Report</p> <p>The ability of subjects to discriminate small changes of frequency of pure and complex tones was investigated. Performance was significantly better in discriminating frequency changes in the middle and low frequency ranges of complex tones than of pure tones. A marked difference in individual ability to discriminate frequency changes was noted.</p>	<p>UNCLASSIFIED</p> <ol style="list-style-type: none"> <li>1. Psychology</li> <li>2. Audition</li> <li>3. Tone Discrimination</li> </ol>	<p>Army Medical Research Lab, Fort Knox, Ky.</p> <p>FREQUENCY DISCRIMINATION OF PURE AND COMPLEX TONES - R. Cramer and L. Zeitlin with the technical assistance of J. Zelnick</p> <p>Report No. 223, 1 Dec 55 - 9 pp &amp; ii - 2 illus - 2 tables - Project No. 6-95-20-001, Unclassified Report</p> <p>The ability of subjects to discriminate small changes of frequency of pure and complex tones was investigated. Performance was significantly better in discriminating frequency changes in the middle and low frequency ranges of complex tones than of pure tones. A marked difference in individual ability to discriminate frequency changes was noted.</p>	<p>UNCLASSIFIED</p> <ol style="list-style-type: none"> <li>1. Psychology</li> <li>2. Audition</li> <li>3. Tone Discrimination</li> </ol>